



Norddeutsche
E-Busse GmbH

www.deutsche-e-busse.de

Ihr Vertriebspartner der Zhongtong Bus Co., Ltd., Website: www.zhongtongbusses.com

Agricolastraße 8, 38678 Clausthal-Zellerfeld Telefon (05323) 708 98 32 info@deutsche-e-busse.de

Midibus:



**rein elektrisch, Null Emissionen,
hohe Reichweite,
preiswert und wirtschaftlich**



Specification of N8 E-city Bus

1. General

Overall	Length	8745 mm	Power Output E r	HV Battery	LFP
	Width	2530 mm		Manufacturer	CATL
	Height	3200mm		Capacity	255.48 KWH
	Wheelbase	4355mm		Cooling	Liquid Cooling
	Front/rear Overhang	1955/2435mm		Motor	TZ368XSPE300WH
	Approach/Departure angle	10/9°		Rated/Max. Torque	1100/3329N.M
	Inside height	>2350		Rated/Max. Power	145/245 kW
	GVW(kg)	14500		Speed Limited	69Km/h
	Seats capacity	21/23+2+1		Distance Per Charge	230-300KM

2. Chassis

Item	Standard
Manufacturer	Zhongtong Bus Holding Co., Ltd
Front axle	5T, independent. Wheel hub free maintenance.
Rear axle	9.5T, wheel hub free maintenance
Suspension	Front 2+ rear 4 air suspension. ECAS with Knelling
Steering	Electric steering pump, hydraulic steering gearbox,
Braking system	Dual circuit pneumatic braking system, front disk and rear disk, EBS, ASR
Tyre/rim	215/75R17.5 with tire pressure indicator, Aluminum Rim
Battery	60AH*2, Nato Socket
Others	One Europe Standard Charging Socket, CCS2 Combo 2; LDWS, ADAS;

3. Body

	Body structure	Monocoque, electrophoresis process.
	Inner trim	Integral molding interior, aluminum alloy air duct, LED roof light, stainless steel handrails
	Door	Front single inside swing door, rear double inside swing door,
	Windscreen	Front Laminated glass, Rear tempering glass,
	Side window	Sealed and sliding gray side glass, sliding driver window
	Rear view system	Electrical control rearview mirror; reverse and getting off monitor
	A/C	Electric single cooling A/C with HV battery thermos control function
	Heating	Electric defroster with cooling function
	AV system	FM with driver speaking auto silence function
	Lamps	LED front and rear combined lamps, LED daylight running lamps, Automatic Headlight Activation
	Wiper	Electric wiper, washer
	Electric system	CAN instrument with touch screen, DVR with front door, middle door and reverse
	Seats	City bus passenger seats, luxurious driver seat
	Painting	Premier painting
	Others	Front and rear destination display, inner display, announcer, front windscreen curtain, electric clock, 2 pieces 4 Kg extinguisher, cigarette lighter, USB for passengers and driver, Digital tachograph, middle door disable slope guide plate;



Specification of N8 E-city Bus

Seat arrangement:

